| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|--------------------|---------------------|---------|------------------|
| S1 | 86 | pipeline near2 accelerator | US-PGPUB; USPAT | OR | ON | 2006/06/19 11:11 |
| S2 | 884 | pipeline with accelerat\$3 | US-PGPUB; USPAT | OR | ON | 2006/06/19 11:11 |
| S3 | 220 | pipeline near2 accelerat\$3 | US-PGPUB; USPAT | OR | ON | 2006/10/03 13:45 |
| 54 | 26 | pipeline near2 accelerat\$3 and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/06/19 11:17 |
| S5 | 0 | accelerat\$3 with load\$3 with process\$3 with external and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/06/19 11:17 |
| S6 | 44 | accelerat\$3 with load\$3 with process\$3 and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/06/20 08:19 |
| S7 | 3 | ("5583964" "4956771" "5892962"). pn. | US-PGPUB; USPAT | OR | ON | 2006/06/20 10:21 |
| S8 | 10 | mccarthy-paul.in. | US-PGPUB; USPAT | OR | ON | 2006/06/20 10:52 |
| S9 | 1 | "5619430".pn. | US-PGPUB; USPAT | OR | ON | 2006/06/20 10:53 |
| S10 | 1 | "6205400".pn. | US-PGPUB; USPAT | OR | ON | 2006/06/20 10:54 |
| S11 | 8 | "raw data" with (coprocessor co-processor) same (buffer queue FIFO) | US-PGPUB; USPAT | OR | ON | 2006/06/20 10:56 |
| S12 | 31 | "raw data" with (coprocessor co-processor) | US-PGPUB; USPAT | OR | ON | 2006/06/20 14:51 |
| S13 | 171 | "raw data" with (slave PE DSP) | US-PGPUB; USPAT | OR | ON | 2006/06/20 14:51 |
| S14 | 9 | "raw data" with (slave PE DSP) and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/06/20 14:54 |
| S15 | 12 | "processed data" with (coprocessor co-processor) and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/06/20 14:54 |
| S16 | 1 | (US-6624819-\$).did. | USPAT | OR | ON | 2006/06/21 08:41 |
| S17 | 1 | S16 and "160" with ("204" "206") | US-PGPUB; USPAT | OR _. | ON | 2006/06/21 10:16 |
| S18 | 165 | output near2 queue with (address\$2 pointer) near3 memory | US-PGPUB; USPAT | OR | ON | 2006/06/21 10:22 |
| S19 | 77 | output near2 queue near5 (address\$2 pointer) near2 memory | US-PGPUB; USPAT | OR | ON | 2006/06/21 10:17 |
| S20 | 19 | output near2 queue near5 (address\$2 pointer) near2 memory and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/06/21 10:17 |

| | | LAST Scare | | | | |
|-----|------|---|--------------------|----|----|------------------|
| S21 | 34 | output near2 queue with (address\$2 pointer) near3 memory and g06f\$. ipc. not S20 | US-PGPUB; USPAT | OR | ON | 2006/06/21 11:06 |
| S22 | 482 | address near2 queue with (address\$2 pointer) near3 memory and g06f\$.ipc. not S20 | US-PGPUB; USPAT | OR | ON | 2006/06/21 10:22 |
| S23 | 2 | opcode near3 coprocessor with (send\$3 transfer\$4 transmit\$4) with instruction | US-PGPUB; USPAT | OR | ON | 2006/06/22 08:39 |
| S30 | 1480 | receiv\$3 near3 data same tempora\$4 near3 stor\$3 same process\$3 near3 data same (transmi\$5 send\$3 pass\$3) near4 data | US-PGPUB; USPAT | OR | ON | 2006/09/27 14:42 |
| S31 | 538 | (receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/27 14:43 |
| S32 | 5 | (receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3) same (pipeline accelerat\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/27 14:45 |
| S33 | 1 | ((data near3 tempora\$4 near3 stor\$3) with (prior before) near3 process\$3) same ((transmi\$5 send\$3 pass\$3) same (pipeline accelerat\$3)) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:37 |
| S34 | 84 | ((processor pipeline) with first near3 integrated adj circuit) and (memory DRAM) with (separate second) near3 integrated adj circuit | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:41 |
| S35 | 177 | ((processor pipeline) with memory with separate near3 integrated adj circuit) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:42 |
| S36 | 38 | ((processor pipeline) with memory with separate near3 integrated adj circuit) same advantag\$4 | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:46 |
| S37 | 3 | ((processor pipeline) with memory with separate near3 integrated adj circuit) same (faster speed failure) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:47 |
| S38 | 0 | ((processor pipeline) with memory with separate near3 integrated adj circuit) same (fail\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:47 |
| S39 | 0 | ((processor pipeline) with memory with distinct near3 integrated adj circuit) same (fail\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:47 |

| | | | | r | | , |
|-----|-----|--|--------------------|------|------|------------------|
| S40 | 73 | ((processor pipeline) with memory with integrated adj circuit) same (fail\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:51 |
| S41 | 237 | ((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit) | US-PGPUB; USPAT | OR | ON | 2006/10/03 13:48 |
| S42 | 41 | ((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit) same (benefi\$5 advantag\$6) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:54 |
| S43 | 417 | ((processor pipeline) with memory with integrated adj circuit) same (benefi\$5 advantag\$6) | US-PGPUB; USPAT | OR | ON | 2006/09/28 08:54 |
| S44 | 73 | ((processor pipeline) with memory with single near3 integrated adj circuit) same (benefi\$5 advantag\$6) | US-PGPUB; USPAT | OR | ON . | 2006/09/28 08:56 |
| S45 | 1 | ((processor pipeline) with memory with (two multiple plurality) near3 integrated adj circuit) same (benefi\$5 advantag\$6) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:25 |
| S46 | 18 | ((processor pipeline) near5 (first second) near2 integrated adj circuit) same (memory near5 (first second) near2 integrated adj circuit) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:27 |
| S47 | 0 | ((processor pipeline) near5 (first second) near2 integrated adj circuit) same (DRAM near5 (first second) near2 integrated adj circuit) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:27 |
| S48 | 0 | ((processor pipeline) near5 (first second) near2 integrated adj circuit) same (RAM near5 (first second) near2 integrated adj circuit) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:27 |
| S49 | 130 | ((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:28 |
| S50 | 3 | ((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip) same (benefi\$5 advantag\$4) | US-PGPUB; USPAT | OR | ON . | 2006/09/28 09:29 |
| S51 | 15 | ((processor pipeline) with (DRAM RAM memory) with separate near2 chip) same (benefi\$5 advantag\$4) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:39 |
| S52 | 85 | ((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) same (benefi\$5 advantag\$4) | US-PGPUB; USPAT | OR · | ON | 2006/09/28 09:43 |

| | | EAST Scare | | | | |
|-----|-------|--|--------------------|------|----|------------------|
| S53 | 21 | ((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) with (benefi\$5 advantag\$4) | US-PGPUB; USPAT | OR | ON | 2006/09/28 09:41 |
| S54 | 64 | S52 not S53 | US-PGPUB; USPAT | OR | ON | 2006/09/28 10:12 |
| S55 | 49 | (memory DRAM RAM) with ("off chip" off-chip) with (cheap\$2 expensive) | US-PGPUB; USPAT | OR | ON | 2006/09/28 10:41 |
| S56 | 0 | ("register file") with ("off chip" off-chip) with (cheap\$2 expensive) | US-PGPUB; USPAT | OR | ON | 2006/09/28 10:42 |
| S57 | 86 | ("register file") with ("off chip" off-chip) | US-PGPUB; USPAT | OR | ON | 2006/09/28 10:43 |
| S58 | 48 | ("register file") near3 ("off chip" off-chip) | US-PGPUB; USPAT | OR | ON | 2006/09/28 11:04 |
| S59 | 199 | ((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory) | US-PGPUB; USPAT | OR . | ON | 2006/09/28 11:07 |
| S60 | 22 | ((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near\$3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory) and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/28 11:59 |
| S61 | 27742 | buffer with ("integrated circuit" chip) | US-PGPUB; USPAT | OR | ON | 2006/09/28 11:59 |
| S62 | 6 | buffer near3 separate near3 ("integrated circuit" chip) with (processor pipeline) | US-PGPUB; USPAT | OR | ON | 2006/09/29 11:20 |
| S63 | 34 | buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip "off chip")) with (processor pipeline) | US-PGPUB; USPAT | OR | ON | 2006/09/28 12:01 |
| S64 | 44 | buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip ."off chip")) with (processor pipeline CPU) | US-PGPUB; USPAT | OR | ON | 2006/09/29 08:11 |
| S65 | 1 | "6205400".pn. | US-PGPUB; USPAT | OR | ON | 2006/09/29 08:11 |
| S66 | 7 | ("2" two) near2 stage near3 (multiplier multiply multiplication) with latch | US-PGPUB; USPAT | OR . | ON | 2006/09/29 11:23 |
| S67 | 38 | multiply adj accumulate with latch | US-PGPUB; USPAT | OR | ON | 2006/09/29 11:28 |

| | | | | · | | |
|-----|-----|--|--------------------|----|------|------------------|
| S68 | 0 | coprocessor same multiply adj accumulate with latch | US-PGPUB; USPAT | OR | ON | 2006/09/29 11:28 |
| S69 | 47 | coprocessor with multipl\$7 adj accumulat\$3 | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:10 |
| S70 | 276 | pointer with data with "input buffer" | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:10 |
| S71 | 38 | pointer with next with data with "input buffer" | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:12 |
| S72 | 7 | read adj pointer with "input buffer" and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:14 |
| S73 | 20 | pointer with "input buffer" and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:16 |
| S74 | 3 | pointer with buffer with input with (execution functional) near2 unit and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:18 |
| S75 | 43 | pointer with buffer with input with read\$3 and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:19 |
| S76 | 151 | pointer with buffer with (operand data) with read\$3 and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON . | 2006/09/29 13:19 |
| S77 | 29 | pointer with buffer with operand with read\$3 and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:22 |
| S78 | 125 | read near3 pointer near3 buffer and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:23 |
| S79 | 112 | read near2 pointer near3 buffer and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:24 |
| S80 | 24 | queue near3 pointer near3 buffer and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:34 |
| S81 | 13 | queue near2 pointer near3 buffer and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:35 |
| S82 | 25 | (queue fifo) near2 pointer near3 buffer and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 13:38 |
| S83 | 5 | stor\$3 near5 buffer near2 pointer near5 queue and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 15:43 |
| S84 | 14 | processor with coprocessor with separate near3 (chip "integrated circuit") | US-PGPUB; USPAT | OR | ON | 2006/09/29 16:26 |
| S85 | 109 | "front end" with separate near3 (chip "integrated circuit") | US-PGPUB; USPAT | OR | ON | 2006/09/29 16:27 |
| S86 | 61 | "front end" near3 separate near3 (chip "integrated circuit") | US-PGPUB; USPAT | OR | ON | 2006/09/29 16:27 |
| S87 | 0 | "front end" near3 separate near3 (chip "integrated circuit") and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/09/29 16:27 |

| | | • | | | | |
|----------|-----|---|---|------|----|------------------|
| S88 | 4 | "front end" with separate near3 (chip "integrated circuit") and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/10/02 09:34 |
| S89 | 3 | coprocessor with execut\$3 with (division divide) near3 (operation instruction) and "712"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/10/02 12:36 |
| S90 | 319 | 712/34.ccls. | US-PGPUB; USPAT | OR | ON | 2006/10/02 15:02 |
| S91 | 250 | 712/35.ccls. | US-PGPUB; USPAT | OR . | ON | 2006/10/02 15:03 |
| S92 | 405 | 712/200.ccls. | US-PGPUB; USPAT | OR | ON | 2006/10/02 15:04 |
| S93 | 595 | 712/225.ccls. | US-PGPUB; USPAT | OR | ON | 2006/10/02 15:08 |
| S94 | 1 | "6282627".pn. | US-PGPUB; USPAT | OR | ON | 2006/10/02 15:08 |
| S95 | 67 | pipeline near2 accelerat\$3 | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/03 13:48 |
| S96 | 3 | ((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit) | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/03 13:49 |
| S97 | 4 | coprocessor with message with header | US-PGPUB; USPAT | OR | ON | 2007/05/04 10:46 |
| S98 | 22 | coprocessor with (packet instruction) with header | US-PGPUB; USPAT | OR | ON | 2007/05/04 10:47 |
| S99 | 12 | ("4991133" "5619497" "5991299" "6317837" "6408001" "6434620" "6496704" "6498793" "6661794" "6687757" "6757725" "6789147").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/04 11:13 |
| S10 0 | 10 | S99 and header | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/04 11:13 |
| S10 1 | 7 | S99 and header same \$2processor | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/04 11:13 |
| S10 2 | 155 | tag with destination with register with (result data) | US-PGPUB; USPAT | OR | ON | 2007/05/04 14:18 |
| S10 3 | 0 | tag with destination with register with (result data) with coprocessor | US-PGPUB; USPAT | OR | ON | 2007/05/04 14:18 |